

BEST AVAILABLE COPY

SEARCHED

| Class | Sub. | Date | Exmr. |
|---------|----------------------------------|----------|-------|
| 530 | 350 300 825 | Dec-01 | SD |
| 424 | 184.1 185.1 190.1 244.1 | " | " |
| Updated | | Aug 02 | SD |
| Updated | | Oct. 03 | SD |
| Updated | | March 04 | SD |

INTERFERENCE SEARCHED

| Class | Sub. | Date | Exmr. |
|-------|------|------|-------|
| | | | |
| | | | |
| | | | |

SEARCH NOTES (INCLUDING SEARCH STRATEGY)

| | Date | Exmr. |
|--|----------|-------|
| 60/238,453 | | |
| Biotek-STC | Dec-01 | SD |
| Sequence search | " | " |
| SEQ ID NO. 6 | | |
| Dialog; WEST. | | |
| PALM: | Dec-01 | SD |
| Continuity/ Priority | " | " |
| Inventors | | |
| Biotek Inzo. | | |
| Updated | Aug 02 | SP |
| Updated New Seq. Search for SEQ 6 (PALM) | Oct-03 | SD |
| Updated SEQ ID NO. 6 Searched. | March 04 | SD |

(RIGHT OUTSIDE)